The Behavioural Status Index (Best-Index): Now and in the Future

Alyson McGregor Kettles Royal Cornhill Hospital, Aberdeen, UK

Presented by Alyson McGregor Kettles on behalf of the Research Team:

Roger Almvik	Jan Dijkstra	Val Reed
Ian Brown	Andrew Garth	Thomas Ross
Mick Collins	Paul ter Horst	Susan Sookoo
Chris Cordess	Alfred Lange	Christian Vaudrun
Dominic Crossley	Dave Langton	Helen Walker
Anne Dean	Richard Mather	Jean Woodally
ACJM Van Erven	Dag Østby	Phil Woods
Tim Van Erven	Friedemann Pfäfflin (*)	
Uwe Dönisch-Seidel	Kirsten Rasmussen	

(*) Program Coordinator

SUMMARY:

• The Best Index is now being recognised as an internationally useful assessment tool in forensic settings. This paper was presented at the Tenth Annual Conference of the International Network for Psychiatric Nursing Research ("Something Old...Something New..."), 29th September to 1st October, 2004, at the St. Cross Building in the University of Oxford, and discussed the history, design, previous and current studies and future of the instrument.

Best Index (BSI)

- History
- Design
- Previous studies
- Current study
- Future plans



Best Index - History

- Origins as a Ph.D two centre study Mahgoub (1988) developing the early bipolar assessment prototype "The Behavioural Adjustment Inventory."
- Went on to include intermediate levels of functioning and became "the Behavioural Recovery Index"

Best Index - a"normative" model

- Range of normal behaviours examined
- Approach differs from usual clinical one where abnormal behaviours are examined
- Laddered "stepwise" analysis of behaviours



BSI -Previous Studies

- A range of literature available on previous studies (see last slide)
- Validity (face and content, predictive) and Reliability (test-retest) studies
- Examined inter-rater reliability and percentage exact and percentage error scores (see literature for the results of these)

Best Index - Current Study



- A parallel cohort study (N=231)
- EU funded £605,000
- England, Scotland, the Netherlands, Norway, Germany, (translated texts)
- The largest forensic nursing study ever funded

Best Index - Current Study

- Third data collection happening now
- UK cohort (N=58)
 Netherlands (N=53)
 Germany (N=89)
 Norway (N=31)
- Comparisons with HCR-20; PCL-R; BDHI-D & SCL-R-90




Best Index - Future

- Contacts made in other countries with a view to developing studies - such as Japan, Belgium, France, Spain.
- Discussions taking place now about further EU funding
- Proposals already in to other places such as German Government

Best Index - Future

- High secure and medium secure units now have it in place and using it clinically taking it forward
- Publications, conferences and further research and development



Best Index - Future



- Some criticisms these need to be addressed: e.g. suitability for sex offenders?
- Development of CD-ROM and other IT/ educational materials

REFERENCES:

- **Henderson, S., Robinson, D.K.** (1997): Developing a behavioural status index to assess patient dangerousness. Mental Health Care, 1, 4, 130-132.
- Hollin, C., Holmes, A. (1999): The BSI (BEST-Index) as a predictor of violence. Paper on a preliminary analysis prepared for internal circulation at Rampton Hospital, UK.
- **Mahgoub, N.A.** (1988): "Bridging" Therapy in Hospital and Community Based Psychiatric Nursing Care: A comparative study (two volumes). Unpublished PhD Thesis, Council for National Academic Awards (sponsoring establishment Sheffield City Polytechnic).
- Robinson, D.K., Reed, V., Lange, A. (1996): Developing risk assessment scales in forensic psychiatric care. Psychiatric Care, 3, 4, 146-152.
- Woods, P., Reed, V. (1997): Measuring risk and related behaviour with the Behavioural Status Index (BSI): some preliminary psychometric studies. International Journal of Psychiatric Nursing Research, ISSN 0968-0624, 4,1, 396-409.
- Woods, P., Reed, V., Robinson, D.K. (1999): The Behavioural Status Index: therapeutic assessment of risk, insight, communication and social skills. Journal of Psychiatric and Mental Health Nursing, ISSN 1351-0126, 6,2, 79-90.
- Woods, P., Reed, V. (2000): Use of the Behavioural Status Index in therapeutic programmes with high-risk clients. Mental health and Learning Disabilities Care 3(6): 194-6, February.
- Woods, P., Reed, V., Collins, M. (2001): Measuring risk in a high security forensic setting through the Behavioural Status Index. International Journal of Psychiatric Nursing Research 7(1): 761-77, June.
- Woods, P., Reed, V., Collins, M. (2001): Measuring insight in a high-security forensic setting using the Behavioural Status Index. British Journal of Forensic Practice 3(3): 3-12, October.
- Woods, P., Reed, V., Collins, M. (2003): Exploring core relationships between insight and communication and social skills in mentally disordered offenders. Journal of Psychiatric and Mental Health Nursing 10(5): 518-525, October.
- Woods, P., Reed, V., Collins, M. (2003): The relationship between risk and insight in a high-security forensic setting. Journal of Psychiatric and Mental Health Nursing 10(5): 510-517, October.